

GREASE GUN



Grease gun	334
Grease gun - push type	334
Couplings	334

BONDING GUNS AND GLUE GUNS



Bonding guns	336
Glue guns	337

OIL CANS




Oil gun	335
Oil can	335
Oil can with retractable spout	335


GENERAL MAINTENANCE



Professional vices	338
Scrapers and pry bars	338
Wire brushes	340



VARIOUS



Magnetic pick-up

340

Inspection mirrors

341

NYLON TIES AND CLAMPS



Nylon ties

343



Hose clamps

343



RIVETING



Hand riveting pliers

342

Riveting pliers for threaded rivets

342

Hand riveting pliers for plastic rivets

342





Grease gun

- Usable with cartridge or bulk grease
- Endowed with rigid and flexible hoses

CODE	CAPACITY	L/mm	
FG 490/C500	500CC	320mm	
FG 490/C750	750CC	450mm	
FG 490/C1000	1.000CC	500mm	



Grease gun

- Usable with cartridge or bulk grease
- Endowed with rigid and flexible hoses

CODE	CAPACITY	L/mm	
FG 490/PG	500CC	320mm	



Grease gun

- Usable with cartridge or bulk grease
- Endowed with rigid and flexible hoses

CODE	CAPACITY	L/mm	
FG 490/MP	85CC	170mm	



Grease gun - push type

- Usable with cartridge or bulk grease
- Supplied with 4jaws nozzle and pointed nozzle

CODE	L/ tube	
FG 490/PT	160mm	



Coupler with 4 jaws

CODE	
FG 490/TE	

Oil can with ridgid spot

Fixed spot

flexible spot

CODE	CAPACITY	L/mm spot	
FG 496/FP1	200CC	14.5	
FG 496/FP2	350CC	14.5	
FG 496/FP3	500CC	14.5	

CODE	CAPACITY	L/mm spot	
FG 497/OP1	30cc	105-165	
FG 497/OP2	80cc	110-175	
FG 497/OP3	150cc	150-240	

CODE	CAPACITY	L/mm spot	
FG 497/SP1	125CC	150	
FG 497/SP2	250CC	180	



Oil can with rigid spot

CODE	CAPACITY	L/mm spot	
FG 495/1	200CC	14.5	
FG 495/2	350CC	14.5	
FG 495/3	500CC	14.5	

Oil can with flexible spot

CODE	CAPACITY	L/mm spot	
FG 496/3	500CC	14.5	



Oiler pen

CODE	CAPACITY	L/mm	
FG 497	5 CC	140	



Bonding gun with aluminum body

CODE	CAPACITY	L/mm	L/mm tube	
FG 493/N	300CC	440	240	

- Steel handle
- Equipped with DRIP-LESS function



Bonding gun with aluminum body

CODE	CAPACITY	L/mm	L/mm tube	
FG 493/AL	300CC	440	240	
FG 493/AL2	400CC	480	280	
FG 493/AL3	600CC	580	380	



Glue gun kit, supplied with 12 sticks of glue

CODE	
FG 494/S12	

- Rated heating power: 80W
- Working temperature: 193°C (383°F)
- Working temperature: 3/5 min
- Length of glue stick: 200mm
- Diameter of glue stick: 11.5mm



Professional glue gun

CODE	
FG 494/A180	

- Rated heating power: 80W
- Working temperature: 193°C (383°F)
- Working temperature: 3/5 min
- Length of glue stick: 100,250,350mm
- Diameter of glue stick: 11/11.5mm



**Set of 4pcs putties
with stainless steel blades**


CODE	DIMENSIONS
FG 47/S4	50, 76, 100, 150mm



Professional vice - forged steel

CODE	L/mm	max opening	
FG 121/B100	100	125	
FG 121/B125	125	150	
FG 121/B150	150	200	
FG 121/B175	175	220	

NEW MODEL



Straight putty knife scraper

CODE	
FG 47/P1	



Bent putty knife scraper

CODE	
FG 47/P2	



Straight putty knife scraper

CODE	
FG 47/P3	



Set of 3pcs putty knife scrapers

CODICE	CONTENT	
FG 47/S3	FG 47/P1, FG 47/P2, FG 47/P3	



Carpenter's wrenching bar

CODE	L/mm	
FG 125/L500	500	
FG 125/L700	700	



Pry bar with flat curved ends

CODE	L/mm	
FG 125/A1	300	
FG 125/A2	450	
FG 125/A3	600	



Set of 3pcs pry bars with flat curved ends

CODE	CONTENT	
FG 125/S3	FG 125/A1, FG 125/A2, FG 125/A3	

Wire brush with brass wires

CODE	L/mm	
FG 79/SP	180	



Wire brush with brass wires

CODE	L/mm	N° FILE	
FG 79/SP1	225x20	4	



Wire brush with brass wires

CODE	L/mm	N° FILE	
FG 79/SP2	225x30	3	



Wire brush with steel wires

CODE	L/mm	N° FILE	
FG 79/SP3	275x35	4	



Magnetic pick-up tool

CODE	L/mm	CAPACITY	
FG 92/GR	700	1Kg.	



Magnetic pick-up tool

CODE	L/mm	CAPACITY	
FG 92/P	150-590	1Kg.	



Telescope inspection mirror

CODICE	L/mm	Ø/mm	
FG 93/P	160	25	



Telescope inspection mirror

CODICE	L/mm	Ø/mm	
FG 93/M24	180-520	24	



Telescope inspection mirror

CODICE	L/mm	Ø/mm	
FG 93/M55	240-680	55	



Telescope inspection mirror

CODICE	L/mm	Ø/mm	
FG 93/M65	250-700	43x65	



Riveting pliers with 4 interchangeable heads

Ø/mm	2.4 (3/32")	3.0/3.2 (1/8")	4.0 (5/32")	4.8/5.0 (3/16")	5.0
Alluminio	X	X	X	X	X
Acciaio	X	X	X	X	X
INOX	X	X	X	X	X

CODE	
FG 260	



Riveting pliers with 5 interchangeable heads

Ø/mm	2.4 (3/32")	3.0/3.2 (1/8")	4.0 (5/32")	4.8/5.0 (3/16")	6.4
Alluminio	X	X	X	X	X
Acciaio	X	X	X	X	X
INOX	X	X	X	X	

CODE	
FG 260/GP	



Riveting pliers for threaded rivets with 4 heads

Ø/mm	M3x0.5	M4x0.7	M5x0.8	M6x1.0
Alluminio	X	X	X	X
Acciaio	X	X	X	X
INOX	X	X	X	

CODE	
FG 261	



Riveting pliers for plastic rivets

CODE	CAPACITY	
FG 260/RP	5x15.8, 5x17.2, 6.3x17.2, 6.3x25.2 mm	

Set of 10pcs plastic rivits

CODE	CAPACITY	
FG 260PR/S1	5x15.8mm	
FG 260PR/S2	5x17.2mm	
FG 260PR/S3	6.3x17.2mm	
FG 260PR/S4	6.3x25.2mm	

NYLON TIES AND HOSE CLAMPS

NYLON 66 TIES

CODE	mm	pz	inch	
FG 25100N	2.5x100	200	6"	
FG 36150N	3.6x150	200	6"	
FG 36150B	3.6x150	200	6"	
FG 36200N	3.6x200	200	8"	
FG 48200N	4.8x200	200	8"	
FG 48200B	4.8x200	200	8"	

CODE	mm	pz	inch	
FG 48200B	4.8x200	200	8"	
FG 48380N	4.8x380	200	15"	
FG 72200B	7.2x200	100	8"	
FG 72300B	7.2x300	100	12"	
FG 72380B	7.2x380	100	15"	



STAINLESS STEEL CABLE TIES

CODE	mm	pz	
FG 46200S	4.6x200	100	
FG 46350S	4.6x350	100	
FG 76300S	7.6x300	100	
FG 79521S	7.9x521	100	



TECHNICAL FEATURES:

- AISI430 STAINLESS STEEL BAND
- W2 ZINC GALVANIZED SCREW
- BAND WITH RAISED BOARDS
- WELDING ON THE BACK OF HOUSING
- TORQUE: 3.5 – 4.5Nm

CODE	mm	pz	inch	
FG 09W012	8x12	100	9mm	
FG 09W016	10x16	100	9mm	
FG 09W020	12x20	100	9mm	
FG 09W025	16x25	100	9mm	
FG 09W027	16x27	100	9mm	
FG 09W032	20x32	100	9mm	
FG 09W040	25x40	100	9mm	
FG 09W050	32x50	100	9mm	
FG 09W060	40x60	100	9mm	
FG 09W070	50x70	50	9mm	
FG 09W080	60x80	50	9mm	
FG 09W090	70x90	50	9mm	

CODE	mm	pz	inch	
FG 12W027	16x27	30	12mm	
FG 12W032	20x32	30	12mm	
FG 12W040	25x40	30	12mm	
FG 12W045	30x45	30	12mm	
FG 12W050	32x50	30	12mm	
FG 12W060	40x60	30	12mm	
FG 12W070	50x70	30	12mm	
FG 12W080	60x80	30	12mm	
FG 12W090	70x90	30	12mm	
FG 12W100	80x100	30	12mm	
FG 12W110	90x110	30	12mm	
FG 12W120	100x120	30	12mm	



STAINLESS STEEL EAR HOSE CLAMPS

TECHNICAL FEATURES:

- AISI430 STAINLESS STEEL BAND
- GALVANIZED STEEL

CODE	mm	pz	
FG 05W11.3	9.6 - 11.3	50	
FG 07W13.3	10.8 - 13.3	50	
FG 07W15.3	12.8 - 15.3	50	

