

Filters for agricultural and industrial applications



Oil bath and dry air filters



Hydraulic oil filters



Air filters for vacuum pumps and compressors





Our business dates back to the early 60s. Since then, our work has been highly appreciated and we now produce in a beautiful and very efficient plant. Within the Italian industrial background, we are conscious to represent a medium-small size reality. We are proud of it, because we don't want to lose the promptness, flexibility and interest in the small special filter series that our dimension enables us to offer. Our wide range of products is a proof of it.

The FBN plant, recently constructed, is based on a total surface of 10.000 m² of which 6.000 m² covered. Inside this factory we design, manufacture and sell filters for agricultural, industrial and hydraulic applications. More than 40 years of experience allows us to offer you an highly qualified service: our technical office is capable to work closely with you on personalized projects according to your specific needs. From the initial planning to the delivery, through all phases of production, FBN works for the total customer's satisfaction.



Filters for agricultural and industrial applications

Oil filters



*Spin-on; Immersed; Hydraulic; In-line
Special on drawing*

Fuel filters




*Spin-on; Immersed
Complete filtration units
Plastic; Special on drawing*

Air cartridges



*Primary cartridges
Safety cartridges
Special on drawing*

Air panel filters



*In paper
With activated carbons
Special on drawing*

Filters for small engines



Air, oil, fuel filters for lawnmowers and small industrial engines

Water & special filters



*Stainless steel water cartridges
Plastic filters for water and detergents
Filters for special applications (gas, solvents, paints, corrosive fluids etc.)*

Oil bath and dry air filters

Oil bath air filters



Available with different types of couplings (with pipe, with flange, threaded, etc.) of intake (vertical, lateral) with or without rain caps and precleaners.

Dry air filters



*With dust-evacuator valve
With dust cap
Special on drawing*

Marine air filters



*In metal
Plastic
Special on drawing*

Spare parts and accessories for oil-bath and dry air filters



*Rain caps
Cyclone precleaners and transparent bowls
Filtering elements; Mounting bands; Dust load indicators*

Hydraulic oil filters

Interchangeable filter cartridges



Microfiberglass filter elements available with different filtration degrees, interchangeable with all major worldwide manufacturers. Filters can be produced on customer's drawing.

Suction filters



Suction filter cartridges with various types of male or female connections (from 1/4" to 3") and flow rates from 5 to 400 l/min., available with or without suction pipes; Filters can be produced on customer's drawing; Filtering elements in: paper or metal

Tank-top return filters



Return line complete filters available with connections from 1/2" to 2" and flow rates from 15 to 550 l/min Filtering elements in: paper, metal or microfiber

Spin-on and in-line filters



In-line, suction and return spin-on filters available with connections 3/4" - 1 1/4" - 1 1/2" (bsp-npt) and sae 3000 flanges. Flow rates from 13 to 380 l/min; In-line suction filters for low pressure circuits; Filtering elements in: paper, metal or microfiber

Accessories



Level indicators (76, 127, 254 mm with or without thermometer); Clogging indicators (visual or electrical); Filler caps with air filters (mounting by screws, by welding or by thread, available also with key lock or pressurized valve); Compensation barrels tanks steel made

Air filters for vacuum pumps and compressors

Dry-air filters for vacuum pumps



*Available with various types of connections (from 3/8" to 4", male or female) and air flow from 25 to 540 m³/h
Filtering elements in: paper, polyester or stainless steel*

Dry-air intake filters



*Available with various types of connections (threaded from 1/4" to 4" or with hose clamp i.d. from 20 to 140 mm) and air flow from 10 to 2300 m³/h
Filtering elements in: paper, polyester or stainless steel.*

Sound absorbent silencers



*Available with single or double threaded couplings (from 1/2" to 4")
They can be produced with special connections, dimensions or resistance specifications*

Oil bath and intake air filters for compressors and vacuum pumps



*Oil-bath air filters for vacuum applications with female threaded couplings from 1/2" to 2"
Intake air filters with various types of connections (threaded or with hose clamp) and filtering elements, following customer's specifications.*