



ACTIVATION OF DRY CHARGED BATTERIES:

Remove all vent plugs and fill up with electrolyte (diluted sulphuric acid), density 1,27 kg/l (31 Bè, 36%), temperature > 15 ° C, to 10 ÷15 mm above the upper separator. After about 20 minutes check acid level and add electrolyte if required to reach the right level.

The battery is now ready for use; it is however advisable to recharge the battery for about 3 hours with current in (A) equal to 10% of the capacity (Ah), should the battery have been stored for a long period.



STARTER BATTERIES





TRADE MARK	ENERGY STORE	TRADE MARK	ENERGY STORE	TRADE MARK	ENERGY STORE
ATHENA		INCAB			
15M, 20D, 25MF, 30MMF,	6EI8	Elecar B 100228	3E6BB		
AZZOLINI		Transpallet B 10016	6EN7T		
until al 1970	6EN7I	LUGLI			
since 1970	6EN7T	35, 40C, L50, 70C, L100, L130	6EM13		
BERZONI		25e 30 quintal, 20, 20CDS, 30C	6EN8TL		
BWs15, BWs20, BWs25, BWs 25A	6EL5	MAXI			
BWs 3, BWs 30A, BWs 50A, BWs 60A, BWs 40, BWs 40A, BWs 80A, BWs 100A, BWs 120A, BWs 150A	6EN7T	MK15D, MJ20D, MK30D, MK35D, MK40D ('80)	6EN7T		
CESAB		MILETTO			
Sid H15, 20	6EN7T	Fork lift truck AT 20/A	6EN7T		
2000, 2500, 3000, 3500	6E5NE	MOTOMECCANICA			
Sid M 20, 40	6EM10	1086	6EL4		
1200, 1500, 1800 Diesel	6EN8TL	OM			
CLARK		MB 10, BM 1/15	6EL5I		
280 T/ I / II, 210, 310	3E12B	DI 50-50	6EN7T		
C50, CY 50, CY 60, CY 70	6EL5I	BI30B, B35B, DI40, DIN30B, DIN35B, DI30/35, DIM30/35, DI50	6EM10		
DCY 160, DCY 180, DCy 200S		D130/35, D165, DI120	6EM13		
DCY 225, DCY 250, DCY 350, DCY 400, DCY 450, DCY 500	6EBT7	DIM 20/25, BIN 20/25, DI 12/15, BIM 12, BIM 15/ 20/ 25/ 30, BIL 9/15/25, BM 12/15, DI 20, DIL 9/15, DIM 20/25/25 BD, DM 12/12, CD 15/20/25	6EN8TL		
85A, 180/ I / II / III, 480T, 210, 180 T / III, BL 700, 35AWS, 180, 380, 110, 110H	6EM14I	OPPIERO			
IT 40, DC 70, DCY70, DC 80, DCY 80, DC 111, DCY 111	6EN8TL	OPC 8	3E8B		
280 T/ II, 210, CLK 340, 210 H, 310 HT	6E12BA	A1V, A2V, B2V, OPC 10, OPC 12, OPP A2T, OPZ	6EN6		
DE ANTONI		A1C, B1C, A2C, A1C/L B2C/L OPST 10E	6EN7T		
KL 15, KL 20, KL 30	6EN8TL	ORMIC			
KL 40, KL50, KL 60 (Mot.MV)	6EN7T	Scooter DINO SO, SL	6EN7T		
KL 60 (mot. Perkins)	6EM10	Serie O: B5 ,45L, B7, 28P, 32P, B10, 16P,B10,35P	6EM13		
FENWICK		Serie R: B3, B5, B5P, B4	6EN8TL		
FD 20, 24, 30, 40, 50, FDP 20, 24, 24A, 30, 40, 40M, 50	6EN8TL	OTO MELARA			
FB 20, 24, 30A, FBP 20, 24GP105, G155, GP 205, GPJ 205, GA 205, GAPJ 205, GP 222, 6A255, GP 255, GAPJ 255, GA 305	6EL4	Fork lift truck 20B, 20D	6EN7T		
FRATELLI PAPA - WITHFORCE		PGS			
Electric fork lift truck series AW	6EN7T	Fork lift truck - Diesel	3E8B		
AW 16/12, 24/12, 28/12, 32/12	6EM14	SOBRINO - TMC			
GEMENTI		FG 10N3 (petrol), FG 15N2 (petrol), FD 1523, FD 3024 diesel, FD 2023, FD 2523 diesel, FD35, FD 2523diesel	6EN7T 6EB4I 6EN7T 6EM10		
Fork lift truck	6EN7T	STEINBOCK			
KOMATZU		Over Until 2,5 ton	6EM14I 6EN8TL		
FD 20, FD 25, FD 30, (Diesel) FD 35	6EM10I				
HISTER					
30, 40, 50C (Diesel), S30 B, S 50, S 400 (Diesel)	3E8B				
H60, 80 (Petrol)	6EN6				
Ford Trucks, H 40 F Diesel	6E12A				
H150	6EM13				
S 60, 100/B, KK (Diesel)	6EM10I				