

PED 97/23/CE


In close co-operation with ISPESL (Italian Control Office), AIR TEK has obtained in the year 2002 the PED 97/23/CE certification on its whole safety valves range. The said norm regulates the manufacturing of pressure plants and equipment.












MATERIAL USED

a) BODY VALVE:
BRASS CW614N UNI EN 12164
b) GASKET:
NBR - VITON (by request)
c) SHUTTER:
BRASS CW614N UNI EN 12164
d) REGULATOR:
BRASS CW614N - STEEL AVP UNI EN 10277-3
UNI EN 12164
e) SPRING: BRASS C98 UNI 3823 - INOX AISI 302
(by request)
f) PIN: STEEL CB4 UNI 7356-74
g) NUT : BRASS CW614N UNI EN 12164
h) RING: STEEL C 75 (su richiesta / by request)



MATERIAL USED

a) BODY VALVE:
BRASS CW614N UNI EN 12164
b) GASKET:
NBR - VITON (by request)
c) SHUTTER:
BRASS CW614N UNI EN 12164
d) <i>RING NUT</i> :
BRASS CW614N - STEEL AVP UNI EN 10277-3
UNI EN 12164
e) SPRING: BRASS C98 UNI 3823 - INOX AISI 302
(by request)
f) PIN: STEEL CB4 UNI 7356-74
g) <i>PLATE</i> : <i>ALUMINIUM</i>
h) RING: STEEL C 75 (by request)

TEN	VS18
SAFETY V	/ALVE 1/8
	setting range from 0,5 to 5 ba
SAFETY VALVE NO SETTING	setting range from 6 to 12 bar
	setting range from 13 to 18 bo
	setting range from 0,5 to 5 ba
SAFETY VALVE NO SETTING + RING	setting range from 6 to 12 bar
	setting range from 13 to 18 ba
SAFETY VALVE SETTING UNMOVIBILY	
SAFETY VALVE SETTING UNMOVIBILY + RING	
SAFETY VALVE SETTING UNMOVIBILY + RING WITH PE	ED CERTIFICATE CE 97/23 VS14 /ALVE 1/4
	ED CERTIFICATE CE 97/23 VS14 /ALVE 1/4
SAFETY VALVE SETTING UNMOVIBILY + RING WITH PE	ED CERTIFICATE CE 97/23 VS14 /ALVE 1/4

SAFETY VALVE SETTING UNMOVIBILY SAFETY VALVE SETTING UNMOVIBILY + RING

SAFETY VALVE NO SETTING + RING

SAFETY VALVE SETTING UNMOVIBILY WITH PED CERTIFICATE CE 97/23

SAFETY VALVE SETTING UNMOVIBILY + RING WITH PED CERTIFICATE CE 97/23



	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING + RING	setting range from 6 to 12 bar
	setting range from 13 to 18 ba
SAFETY VALVE SETTING UNMOVIBILY	
SAFETY VALVE SETTING UNMOVIBILY + RING	
SAFETY VALVE SETTING UNMOVIBILY WITH PED CERTIFICATE CE 97/23	
SAFETY VALVE SETTING UNMOVIBILY + RING WITH PED CERTIFICATE CE 97/23	

setting range from 0,5 to 5 bar
setting range from 6 to 12 bar
setting range from 13 to 18 bar
setting range from 0,5 to 5 bar
setting range from 6 to 12 bar
setting range from 13 to 18 bar
and the second se

VS38

VS12

SAFETY VALVE 1/2	
	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING + RING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
SAFETY VALVE SETTING UNMOVIBILY	
SAFETY VALVE SETTING UNMOVIBILY + RING	

SAFETY VALVE SETTING UNMOVIBILY WITH PED CERTIFICATE CE 97/23
 SAFETY VALVE SETTING UNMOVIBILY + RING WITH PED CERTIFICATE CE 97/23



SAFETY VALVE 3/4

	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING + RING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
SAFETY VALVE SETTING UNMOVIBILY	
SAFETY VALVE SETTING UNMOVIBILY + RING	
SAFETY VALVE SETTING UNMOVIBILY WITH PED CERTIFICATE CE 97/23	
SAFETY VALVE SETTING UNMOVIBILY + RING WITH PED CERTIFICATE CE 97/23	





SAFETY VALVE 1"	
	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
	setting range from 0,5 to 5 bar
SAFETY VALVE NO SETTING + RING	setting range from 6 to 12 bar
	setting range from 13 to 18 bar
SAFETY VALVE SETTING UNMOVIBILY	
SAFETY VALVE SETTING UNMOVIBILY + RING	
SAFETY VALVE SETTING UNMOVIBILY WITH PED CERTIFICATE CE 97/23	
SAFETY VALVE SETTING UNMOVIBILY + RING WITH PED CERTIFICATE CE 97/23	

VSR18



SAFETY VALVE CARRIED DISCHARGE 1/8

SAFETY VALVE CARRIED DISCHARGE